

STYLE 014-0909-1000 Material:E-Glass SI Units

Type of Yarns	Warp Yarn:	ECG 150 1/2	EC9 33*2
	Fill Yarn:	ECG 150 1/2	EC9 33*2
Fabric Weight,Dry		4oz/yd²	119g/m²
Weave Style	Plain		

CONSTRUCTION

Nominal Construction	Warp Count:	24/inch	9.45/cm
	Fill Count:	22/inch	8.6/cm
Fabric Thickness		4.8mils	0.11mm
Yarn Breaking Strength	Warp	143lbf/inch	125daN/5cm
	Filling	119lbf/inch	105daN/5cm

Specifications	1000mm,200m/roll
-----------------------	-------------------------

Availability	Common
---------------------	---------------

IMPORTANT

All information is believed to be accurate but is given without acceptance of liability . All values have been generated from limited data . The values listed for weight , thickness , and breaking strengths are typical greige values , unless otherwise noted . Users should make their own assessment of the suitability of any product for the purpose required . All sales are made subject to our standard terms of sales which include limitations on liability and other important terms . The fabric style listed may not be available from inventory , and minimum order quantities may apply .

Based on the implementation of product standards, highend customization inheritance, and guided by enhancing common value, continuous development a nd innovation.

FOR FURTHER INFORMATION , PLEASE CONTACT US